

クレーン荷重表

JCC-V520S 定格荷重表

作業半径	最大作業半径			
	32.0m	37.0m	40.0m	46.0m
0.0m	10.00t	10.00t	10.00t	10.00t
1.0m	13.13t	13.13t	13.13t	13.14t
2.0m	16.27t	16.27t	16.27t	16.28t
3.0m	19.42t	19.42t	19.42t	19.42t
3.5m	21.00t	21.00t	21.00t	21.00t
↓	↓	↓	↓	↓
26.0m	↓	↓	21.00t	21.00t
26.5m	↓	↓	21.00t	20.49t
27.0m	↓	21.00t	20.50t	20.00t
27.5m	21.00t	20.53t	20.03t	19.52t
28.0m	20.54t	20.07t	19.57t	19.06t
29.0m	19.68t	19.21t	18.70t	18.19t
30.0m	18.90t	18.41t	17.89t	17.37t
31.0m	18.20t	17.65t	17.13t	16.60t
32.0m	17.50t	16.94t	16.42t	15.87t
33.0m		16.27t	15.75t	15.18t
34.0m		15.65t	15.10t	14.52t
35.0m		15.07t	14.50t	13.90t
36.0m		14.52t	13.95t	13.30t
37.0m		14.00t	13.44t	12.75t
38.0m			12.95t	12.24t
39.0m			12.47t	11.76t
40.0m			12.00t	11.32t
41.0m				10.90t
42.0m				10.50t
43.0m				10.12t
44.0m				9.75t
45.0m				9.38t
46.0m				9.00t

JCC-500H 定格荷重表

作業半径	最大作業半径			
	35m	40m	45m	52m
2.0m	18.00t	18.00t	15.00t	12.00t
3.0m	↓	↓	↓	↓
4.0m	↓	↓	↓	↓
↓	↓	↓	↓	↓
18.0m	↓	↓	15.00t	12.00t
19.0m	↓	↓	14.50t	11.41t
20.0m	↓	↓	14.02t	10.90t
21.0m	↓	↓	13.58t	10.45t
22.0m	↓	↓	13.15t	10.04t
23.0m	↓	↓	12.75t	9.67t
24.0m	↓	↓	12.36t	9.33t
25.0m	↓	18.00t	12.00t	9.03t
26.0m	↓	16.97t	11.64t	8.75t
27.0m	18.00t	16.14t	11.31t	8.49t
28.0m	17.03t	15.46t	10.98t	8.26t
29.0m	16.40t	14.89t	10.67t	8.04t
30.0m	15.94t	14.41t	10.37t	7.83t
31.0m	15.60t	13.99t	10.08t	7.64t
32.0m	15.35t	13.62t	9.80t	7.47t
33.0m	15.20t	13.30t	9.55t	7.30t
34.0m	15.08t	13.03t	9.33t	7.14t
35.0m	15.00t	12.79t	9.15t	6.99t
36.0m		12.60t	8.98t	6.86t
37.0m		12.43t	8.83t	6.73t
38.0m		12.27t	8.70t	6.60t
39.0m		12.13t	8.57t	6.48t
40.0m		12.00t	8.46t	6.35t
41.0m			8.36t	6.24t
42.0m			8.26t	6.12t
43.0m			8.17t	6.01t
44.0m			8.08t	5.90t
45.0m			8.00t	5.79t
46.0m				5.68t
47.0m				5.57t
48.0m				5.46t
49.0m				5.35t
50.0m				5.23t
51.0m				5.12t
52.0m				5.00t

OTA-450N 定格荷重表

作業半径	最大作業半径			
	32.0m	37.0m	40.0m	45.0m
4.0m	18.0t	18.0t	18.0t	14.0t
↓	↓	↓	↓	↓
16.0m	↓	↓	↓	14.0t
17.0m	↓	↓	↓	13.4t
18.0m	↓	↓	18.0t	13.0t
19.0m	↓	↓	17.2t	12.6t
20.0m	↓	↓	16.5t	12.1t
21.0m	↓	↓	15.9t	11.8t
22.0m	↓	18.0t	15.4t	11.4t
23.0m	↓	17.2t	14.9t	11.1t
24.0m	↓	16.5t	14.4t	10.8t
25.0m	18.0t	15.8t	14.0t	10.5t
26.0m	16.9t	15.3t	13.5t	10.2t
27.0m	16.2t	14.7t	13.2t	9.9t
28.0m	15.6t	14.2t	12.8t	9.6t
29.0m	15.0t	13.7t	12.5t	9.4t
30.0m	14.6t	13.3t	12.2t	9.2t
31.0m	14.2t	12.9t	11.8t	8.9t
32.0m	14.0t	12.6t	11.5t	8.6t
33.0m		12.3t	11.2t	8.4t
34.0m		11.9t	11.0t	8.2t
35.0m		11.6t	10.8t	8.1t
36.0m		11.3t	10.6t	7.9t
37.0m		11.0t	10.4t	7.8t
38.0m			10.2t	7.7t
39.0m			10.1t	7.6t
40.0m			10.0t	7.5t
41.0m				7.4t
42.0m				7.3t
43.0m				7.2t
44.0m				7.1t
45.0m				7.0t

JCC-400H 定格荷重表

作業半径	最大作業半径	
	35.0m	40.0m
0.0m	10.00t	10.00t
1.0m	10.00t	10.00t
2.0m	18.00t	18.00t
↓	↓	↓
18.0m	↓	18.00t
19.0m	↓	17.23t
20.0m	↓	16.54t
21.0m	↓	15.92t
22.0m	18.00t	15.36t
23.0m	17.29t	14.85t
24.0m	16.65t	14.37t
25.0m	16.06t	13.94t
26.0m	15.52t	13.53t
27.0m	15.01t	13.16t
28.0m	14.54t	12.81t
29.0m	14.09t	12.47t
30.0m	13.68t	12.17t
31.0m	13.31t	11.89t
32.0m	12.96t	11.63t
33.0m	12.63t	11.39t
34.0m	12.31t	11.16t
35.0m	12.00t	10.95t
36.0m		10.75t
37.0m		10.55t
38.0m		10.37t
39.0m		10.18t
40.0m		10.00t

JCC-V360S 定格荷重表

作業半径	最大作業半径		
	32.0m	35.5m	40.0m
0.0m	10.00t	10.00t	10.00t
1.0m	11.99t	12.00t	12.00t
2.0m	13.99t	14.00t	14.00t
3.0m	16.00t	16.00t	16.00t
↓	↓	↓	↓
22.0m	↓	22.5m x 16.00t	16.00t
23.0m	16.00t	15.60t	15.12t
24.0m	15.27t	14.84t	14.32t
25.0m	14.60t	14.14t	13.59t
26.0m	13.97t	13.47t	12.92t
27.0m	13.38t	12.85t	12.30t
28.0m	12.85t	12.26t	11.72t
29.0m	12.36t	11.70t	11.18t
30.0m	11.90t	11.19t	10.67t
31.0m	11.45t	10.72t	10.20t
32.0m	11.00t	10.30t	9.74t
33.0m		9.91t	9.32t
34.0m		9.54t	8.93t
35.0m		9.18t	8.57t
35.5m		9.00t	8.40t
36.0m			8.23t
37.0m			7.91t
38.0m			7.60t
39.0m			7.30t
40.0m			7.00t

OTA-320N II 定格荷重表

作業半径	最大作業半径			
	32.0m	37.0m	40.0m	45.0m
0.0m	16.0t	16.0t	14.0t	12.0t
↓	↓	↓	↓	↓
16.0m	↓	↓	↓	12.0t
17.0m	↓	↓	↓	11.4t
18.0m	↓	↓	↓	10.9t
19.0m	↓	16.0t	14.0t	10.3t
20.0m	↓	15.1t	12.9t	9.9t
21.0m	↓	14.3t	12.0t	9.5t
22.0m	16.0t	13.6t	11.3t	9.0t
23.0m	15.2t	13.0t	10.8t	8.7t
24.0m	14.4t	12.4t	10.2t	8.3t
25.0m	13.7t	11.9t	9.8t	8.0t
26.0m	13.1t	11.5t	9.4t	7.7t
27.0m	12.6t	11.0t	9.0t	7.4t
28.0m	12.1t	10.6t	8.7t	7.1t
29.0m	11.5t	10.1t	8.4t	6.8t
30.0m	11.0t	9.7t	8.2t	6.6t
31.0m	10.5t	9.4t	8.0t	6.3t
32.0m	10.0t	9.0t	7.8t	6.0t
33.0m		8.7t	7.5t	5.8t
34.0m		8.4t	7.3t	5.6t
35.0m		8.1t	7.1t	5.4t
36.0m		7.8t	6.8t	5.2t
37.0m		7.5t	6.6t	5.0t
38.0m			6.4t	4.9t
39.0m			6.2t	4.7t
40.0m			6.0t	4.6t
41.0m				4.4t
42.0m				4.3t
43.0m				4.2t
44.0m				4.1t
45.0m				4.0t

クレーン荷重表

OTS-120N 定格荷重表

作業半径	最大作業半径		
	25.0m	30.0m	35.0m
3.0m	10.0t	10.0t	8.0t
↓	↓	↓	↓
14.0m	↓	↓	8.0t
15.0m	↓	10.0t	7.5t
16.0m	10.0t	9.1t	7.1t
17.0m	9.1t	8.4t	6.7t
18.0m	8.3t	7.7t	6.3t
19.0m	7.7t	7.2t	5.9t
20.0m	7.1t	6.7t	5.6t
21.0m	6.7t	6.3t	5.3t
22.0m	6.3t	5.9t	5.0t
23.0m	5.9t	5.6t	4.8t
24.0m	5.6t	5.3t	4.5t
25.0m	5.3t	5.0t	4.3t
26.0m		4.8t	4.1t
27.0m		4.6t	3.9t
28.0m		4.4t	3.8t
29.0m		4.2t	3.6t
30.0m		4.0t	3.5t
31.0m			3.4t
32.0m			3.3t
33.0m			3.2t
34.0m			3.1t
35.0m			3.0t

OTS-100HN 定格荷重表

作業半径	最大作業半径			
	20.0m	25.0m	30.0m	35.0m
3.0m	8.0t	8.0t	6.0t	4.0t
↓	↓	↓	↓	↓
10.0m	↓	8.0t	↓	4.0t
11.0m	↓	7.5t	↓	3.6t
12.0m	↓	6.9t	6.0t	3.3t
13.0m	8.0t	6.4t	5.4t	3.0t
14.0m	7.5t	6.0t	5.1t	2.8t
15.0m	6.7t	5.6t	4.7t	2.6t
16.0m	6.2t	5.3t	4.5t	2.4t
17.0m	5.8t	5.0t	4.2t	2.3t
18.0m	5.5t	4.8t	3.9t	2.2t
19.0m	5.2t	4.5t	3.7t	2.1t
20.0m	5.0t	4.3t	3.5t	2.0t
21.0m		4.2t	3.3t	1.8t
22.0m		4.0t	3.2t	1.7t
23.0m		3.8t	3.1t	1.6t
24.0m		3.7t	2.9t	1.6t
25.0m		3.5t	2.8t	1.5t
26.0m			2.7t	1.5t
27.0m			2.6t	1.4t
28.0m			2.5t	1.4t
29.0m			2.4t	1.3t
30.0m			2.3t	1.3t
31.0m				1.3t
32.0m				1.3t
33.0m				1.2t
34.0m				1.2t
35.0m				1.2t

OTS-100N 定格荷重表

作業半径	最大作業半径		
	20.0m	25.0m	30.0m
3.0m	8.0t	8.0t	6.0t
↓	↓	↓	↓
10.0m	↓	8.0t	↓
11.0m	↓	7.4t	↓
12.0m	↓	6.9t	6.0t
13.0m	8.0t	6.4t	5.5t
14.0m	7.2t	6.0t	5.1t
15.0m	6.7t	5.6t	4.8t
16.0m	6.2t	5.2t	4.5t
17.0m	5.8t	5.0t	4.2t
18.0m	5.5t	4.7t	3.9t
19.0m	5.2t	4.5t	3.7t
20.0m	5.0t	4.3t	3.5t
21.0m		4.1t	3.3t
22.0m		4.0t	3.2t
23.0m		3.8t	3.0t
24.0m		3.7t	2.9t
25.0m		3.5t	2.8t
26.0m			2.7t
27.0m			2.6t
28.0m			2.5t
29.0m			2.4t
30.0m			2.3t

OTS-90NH 定格荷重表

作業半径	最大作業半径		
	20.0m	25.0m	30.0m
3.0m	2.8t	2.8t	2.8t
↓	↓	↓	↓
20.0m	2.8t	↓	↓
21.0m		↓	↓
22.0m		↓	↓
23.0m		↓	↓
24.0m		↓	↓
25.0m		2.8t	2.8t
26.0m			2.6t
27.0m			2.5t
28.0m			2.3t
29.0m			2.2t
30.0m			2.0t

OTS-90N 定格荷重表

作業半径	最大作業半径		
	20.0m	25.0m	30.0m
0.0m	4.0t	4.0t	4.0t
↓	↓	↓	↓
15.0m	↓	↓	4.0t
16.0m	↓	↓	3.7t
17.0m	↓	↓	3.5t
18.0m	↓	↓	3.3t
19.0m	↓	↓	3.1t
20.0m	4.0t	4.0t	3.0t
21.0m		3.7t	2.9t
22.0m		3.5t	2.8t
23.0m		3.3t	2.7t
24.0m		3.1t	2.6t
25.0m		3.0t	2.5t
26.0m			2.4t
27.0m			2.3t
28.0m			2.2t
29.0m			2.1t
30.0m			2.0t

OTS-90NII 定格荷重表

作業半径	最大作業半径		
	20.0m	25.0m	30.0m
0.0m	2.8t	2.8t	2.8t
↓	↓	↓	↓
20.0m	2.8t	↓	↓
21.0m		↓	↓
22.0m		↓	2.8t
23.0m		↓	2.7t
24.0m		↓	2.6t
25.0m		2.8t	2.5t
26.0m			2.4t
27.0m			2.3t
28.0m			2.2t
29.0m			2.1t
30.0m			2.0t

JCL080SK 定格荷重表

作業半径	最大作業半径			
	24.0m	30.0m	36.0m	42.0m
3.0m	2.8t	2.8t	2.8t	2.8t
↓	↓	↓	↓	↓
21.0m	↓	↓	↓	1.8t
22.0m	↓	↓	↓	↓
23.0m	↓	↓	↓	↓
24.0m	2.8t	↓	↓	2.2t
25.0m		↓	↓	↓
26.0m		↓	↓	↓
26.5m		↓	2.8t	↓
27.0m		↓	1.8t	↓
28.0m		↓	↓	↓
29.0m		↓	↓	↓
30.0m		2.8t	↓	↓
31.0m			↓	1.8t
32.0m			↓	1.2t
33.0m			↓	↓
34.0m			↓	↓
35.0m			↓	↓
36.0m			1.8t	↓
37.0m				↓
38.0m				↓
39.0m				↓
40.0m				↓
41.0m				↓
42.0m				1.2t

JCL040H・II 定格荷重表

作業半径	最大作業半径				
	20.0m	25.0m	30.0m	35.0m	40.0m
0.0m	2.7t	2.7t	2.7t	2.7t	2.7t
↓	↓	↓	↓	↓	↓
17.0m	↓	↓	↓	↓	2.7t
18.0m	↓	↓	↓	↓	2.5t
19.0m	↓	↓	↓	↓	2.3t
20.0m	2.7t	↓	↓	↓	2.2t
21.0m		↓	↓	↓	2.1t
22.0m		↓	↓	2.7t	2.0t
23.0m		↓	↓	2.6t	1.9t
24.0m		↓	↓	2.5t	1.8t
25.0m		2.7t	↓	2.4t	1.7t
26.0m			↓	2.2t	1.6t
27.0m			2.7t	2.1t	1.5t
28.0m			2.5t	2.0t	1.5t
29.0m			2.4t	2.0t	1.4t
30.0m			2.3t	1.9t	1.3t
31.0m				1.8t	1.3t
32.0m				1.7t	1.2t
33.0m				1.6t	1.2t
34.0m				1.6t	1.2t
35.0m				1.5t	1.1t
36.0m					1.1t
37.0m					1.0t
38.0m					1.0t
39.0m					1.0t
40.0m					1.0t

OTS-50N 定格荷重表

作業半径	最大作業半径		
	20.0m	25.0m	30.0m
0.0m	2.8t	2.8t	2.8t
↓	↓	↓	↓
10.0m	↓	↓	2.8t
11.0m	↓	↓	2.6t
12.0m	↓	↓	2.4t
13.0m	↓	↓	2.3t
14.0m	↓	2.8t	2.1t
15.0m	↓	2.6t	2.0t
16.0m	↓	2.4t	1.9t
17.0m	↓	2.3t	1.8t
17.5m	2.8t	2.3t	1.7t
18.0m	2.7t	2.2t	1.7t
19.0m	2.6t	2.1t	1.6t
20.0m	2.5t	2.0t	1.5t
21.0m		1.9t	1.4t
22.0m		1.9t	1.3t
23.0m		1.8t	1.3t
24.0m		1.8t	1.2t
25.0m		1.7t	1.2t
26.0m			1.2t
27.0m			1.2t
28.0m			1.1t
29.0m			1.1t
30.0m			1.1t



クレーン荷重表

OTS-45N 定格荷重表

作業半径	最大作業半径		
	15.0m	20.0m	25.0m
0.0m	2.8t	2.8t	2.8t
↓	↓	↓	↓
5.0m	↓	↓	↓
6.0m	↓	↓	↓
7.0m	↓	↓	↓
8.0m	↓	↓	2.8t
9.0m	↓	↓	2.7t
10.0m	↓	↓	2.6t
11.0m	↓	↓	2.4t
12.0m	↓	↓	2.3t
13.0m	↓	↓	2.2t
14.0m	↓	↓	2.1t
15.0m	2.8t	↓	2.0t
16.0m		2.8t	1.8t
17.0m		2.6t	1.7t
18.0m		2.4t	1.6t
19.0m		2.1t	1.5t
20.0m		2.0t	1.5t
21.0m			1.4t
22.0m			1.3t
23.0m			1.3t
24.0m			1.2t
25.0m			1.2t

STC-33 定格荷重表

作業半径	最大作業半径
	30.0m
13.0m	2.8t
30.0m	1.1t

JCL030 II 定格荷重表

作業半径	最大作業半径		
	20m	25m	30m
0.0m	2.8t	2.8t	2.8t
↓	↓	↓	↓
8.5m	↓	↓	2.8t
9.0m	↓	↓	2.7t
10.0m	↓	↓	2.5t
11.0m	↓	2.8t	2.3t
12.0m	↓	2.6t	2.2t
13.0m	↓	2.4t	2.0t
14.0m	2.8t	2.2t	1.9t
15.0m	2.5t	2.0t	1.8t
16.0m	2.3t	1.9t	1.7t
17.0m	2.2t	1.8t	1.6t
18.0m	2.0t	1.7t	1.5t
19.0m	1.9t	1.6t	1.4t
20.0m	1.8t	1.5t	1.4t
21.0m		1.4t	1.3t
22.0m		1.4t	1.3t
23.0m		1.3t	1.2t
24.0m		1.3t	1.2t
25.0m		1.2t	1.2t
26.0m			1.1t
27.0m			1.1t
28.0m			1.1t
29.0m			1.0t
30.0m			1.0t

OTS-23NH 定格荷重表

作業半径	最大作業半径	
	17.0m	23.0m
3.0m	2.0t	
↓	↓	↓
15.5m	2.0t	2.0t
16.0m	1.9t	1.9t
17.0m	1.7t	
18.0m		1.6t
19.0m		1.5t
20.0m		1.3t
21.0m		1.2t
22.0m		1.1t
23.0m		1.0t

OTS-23N 定格荷重表

作業半径	最大作業半径
	23.0m
0.0m	2.00t
↓	↓
15.5m	2.00t
16.0m	1.87t
17.0m	1.70t
18.0m	1.56t
19.0m	1.43t
20.0m	1.31t
21.0m	1.20t
22.0m	1.09t
23.0m	1.00t

JCL022 II 定格荷重表

作業半径	最大作業半径	
	16.0m	22.0m
0.0m	1.8t	1.8t
↓	↓	↓
11.0m	↓	1.8t
12.0m	↓	1.0t
13.0m	↓	↓
14.0m	↓	↓
15.0m	↓	↓
16.0m	1.8t	↓
17.0m		↓
18.0m		↓
19.0m		↓
20.0m		↓
21.0m		↓
22.0m		1.0t

JCL021C 定格荷重表

作業半径	最大作業半径	
	16.0m	21.0m
0.0m	1.0t	1.0t
1.0m	↓	↓
2.0m	↓	↓
3.0m	↓	↓
4.0m	↓	↓
5.0m	↓	↓
6.0m	↓	↓
7.0m	↓	↓
8.0m	↓	↓
9.0m	↓	↓
10.0m	↓	↓
11.0m	↓	↓
12.0m	↓	↓
13.0m	↓	↓
14.0m	↓	↓
15.0m	↓	↓
16.0m	1.0t	↓
17.0m		↓
18.0m		↓
19.0m		↓
20.0m		↓
21.0m		1.0t

OTS-20N 定格荷重表

作業半径	最大作業半径	
	22.5m	17.5m
0.0m	2.0t	2.0t
↓	↓	↓
12.5m	2.0t	2.0t
13.0m	1.93t	1.93t
14.0m	1.74t	1.74t
15.0m	1.60t	1.6t
16.0m	1.44t	
17.0m	1.32t	
18.0m	1.2t	
19.0m	1.1t	
20.0m	1.0t	

OTS-15N 定格荷重表

作業半径	最大作業半径	
	15.0m	17.5m
0.0m	1.5t	1.5t
↓	↓	↓
10.0m	1.5t	1.5t
↓	↓	↓
15.0m	1.0t	1.0t
↓	↓	↓
17.5m		0.7t



クレーン荷重表

JCL015Ⅱ 定格荷重表

作業半径	最大作業半径	
	15.0m	
0.0m	1.0t	
↓	↓	
15.0m	1.0t	

MD220 定格荷重表

作業半径	最大作業半径				
	45.0m	50.0m	55.0m	60.0m	65.0m
13.3m					12.0t
15.0m					10.4t
15.5m				12.0t	↓
16.3m			12.0t	↓	↓
17.0m			↓	10.8t	9.0t
17.1m		12.0t	↓	↓	↓
17.8m	12.0t	↓	↓	↓	↓
20.0m	↓	10.0t	9.5t	8.9t	7.4t
22.0m	9.3t	8.9t	8.5t	8.0t	6.5t
25.0m	8.0t	7.7t	7.2t	6.8t	5.6t
27.0m	7.3t	7.0t	6.6t	6.2t	5.0t
30.0m	6.4t	6.1t	5.8t	5.4t	4.4t
32.0m	5.9t	5.7t	5.3t	5.0t	4.0t
35.0m	5.3t	5.0t	4.7t	4.4t	3.5t
37.0m	4.9t	4.7t	4.4t	4.1t	3.2t
40.0m	4.5t	4.2t	4.0t	3.7t	2.8t
42.0m	4.2t	4.0t	3.7t	3.5t	2.6t
45.0m	3.8t	3.6t	3.4t	3.1t	2.3t
47.0m		3.4t	3.2t	2.9t	2.2t
50.0m		3.1t	2.8t	2.6t	2.0t
52.0m			2.7t	2.5t	1.8t
55.0m			2.5t	2.3t	1.6t
57.0m				2.1t	1.5t
60.0m				2.0t	1.4t
62.0m					1.3t
65.0m					1.2t

OTH-80N (4本掛) 定格荷重表

作業半径	最大作業半径			
	27.0m	32.0m	35.0m	41.5m
2.5m	4.5t	4.5t	4.5t	4.5t
↓	↓	↓	↓	↓
14.5m	↓	↓	↓	4.5t
15.0m	↓	↓	↓	4.3t
16.0m	↓	↓	↓	4.0t
17.0m	↓	↓	↓	3.7t
18.0m	↓	↓	4.5t	3.5t
19.0m	↓	↓	4.2t	3.2t
19.5m	↓	4.5t		
20.0m	↓	4.4t	4.0t	3.0t
21.0m	4.5t	4.1t	3.7t	2.9t
22.0m	4.3t	3.9t	3.5t	2.7t
23.0m	4.1t	3.7t	3.4t	2.5t
24.0m	3.9t	3.5t	3.2t	2.4t
25.0m	3.7t	3.3t	3.0t	2.3t
26.0m	3.5t	3.2t	2.9t	2.2t
27.0m	3.4t	3.0t	2.8t	2.1t
28.0m		2.9t	2.7t	2.0t
29.0m		2.8t	2.5t	1.9t
30.0m		2.7t	2.4t	1.8t
31.0m		2.6t	2.3t	1.7t
32.0m		2.5t	2.2t	1.7t
33.0m			2.1t	1.6t
34.0m			2.1t	1.5t
35.0m			2.0t	1.5t
36.0m				1.4t
37.0m				1.4t
38.0m				1.3t
39.0m				1.3t
40.0m				1.3t
41.0m				1.2t
41.5m				1.2t

OTH-80N (2本掛) 定格荷重表

作業半径	最大作業半径			
	27.0m	32.0m	35.0m	41.5m
2.5m	2.7t	2.7t	2.7t	2.7t
↓	↓	↓	↓	↓
14.5m	↓	↓	↓	↓
15.0m	↓	↓	↓	↓
16.0m	↓	↓	↓	↓
17.0m	↓	↓	↓	↓
18.0m	↓	↓	↓	↓
19.0m	↓	↓	↓	↓
19.5m	↓	↓	↓	↓
20.0m	↓	↓	↓	↓
21.0m	↓	↓	↓	↓
22.0m	↓	↓	↓	2.7t
23.0m	↓	↓	↓	2.5t
24.0m	↓	↓	↓	2.4t
25.0m	↓	↓	↓	2.3t
26.0m	↓	↓	↓	2.2t
27.0m	2.7t	↓	↓	2.1t
28.0m		↓	2.7t	2.0t
29.0m		↓	2.5t	1.9t
30.0m		2.7t	2.4t	1.8t
31.0m		2.6t	2.3t	1.7t
32.0m		2.5t	2.2t	1.7t
33.0m			2.1t	1.6t
34.0m			2.1t	1.5t
35.0m			2.0t	1.5t
36.0m				1.4t
37.0m				1.4t
38.0m				1.3t
39.0m				1.3t
40.0m				1.3t
41.0m				1.2t
41.5m				1.2t

E60-3 (4本掛) 定格荷重表

作業半径	最大作業半径			
	19.0m	22.0m	25.0m	28.0m
4.5m	8.0t			
5.0m	↓	8.0t		
5.5m	↓	↓	6.0t	
6.0m	↓	↓	↓	4.0t
7.0m	↓	↓	↓	↓
7.7m	↓	8.0t	↓	↓
8.0m	8.0t	7.7t	↓	↓
9.0m	7.2t	6.9t	↓	↓
9.9m	↓	↓	6.0t	↓
10.0m	6.5t	6.2t	5.9t	↓
11.0m	5.85t	5.55t	5.25t	↓
12.0m	5.3t	5.0t	4.7t	↓
12.8m	↓	↓	↓	4.0t
13.0m	4.8t	4.5t	4.2t	3.9t
14.0m	4.4t	4.1t	3.8t	3.5t
15.0m	4.0t	3.7t	3.4t	3.1t
16.0m	3.7t	3.4t	3.1t	2.8t
17.0m	3.45t	3.15t	2.85t	2.55t
18.0m	3.25t	2.95t	2.65t	2.35t
19.0m	3.1t	2.8t	2.5t	2.2t
19.3m	3.05t	↓	↓	↓
20.0m		2.65t	2.35t	2.05t
21.0m		2.5t	2.2t	1.9t
22.0m		2.4t	2.1t	1.8t
23.0m		22.2m x 2.4t	2.0t	1.7t
24.0m			1.9t	1.6t
25.0m			25.1m x 1.8t	1.5t
26.0m				1.4t
27.0m				1.3t
28.0m				1.2t

E60-3 (2本掛) 定格荷重表

作業半径	最大作業半径			
	19.0m	22.0m	25.0m	28.0m
4.5m	4.0t			
5.0m	↓	4.0t		
5.5m	↓	↓	4.0t	
6.0m	↓	↓	↓	4.0t
7.0m	↓	↓	↓	↓
7.7m	↓	↓	↓	↓
8.0m	↓	↓	↓	↓
9.0m	↓	↓	↓	↓
9.9m	↓	↓	↓	↓
10.0m	↓	↓	↓	↓
11.0m	↓	↓	↓	↓
12.0m	↓	↓	↓	↓
12.8m	↓	↓	↓	4.0t
13.0m	↓	↓	↓	3.9t
13.5m	↓	↓	4.0t	↓
14.0m	↓	↓	3.8t	3.5t
14.2m	↓	4.0t	↓	↓
15.0m	4.0t	3.7t	3.4t	3.1t
16.0m	3.7t	3.4t	3.1t	2.8t
17.0m	3.45t	3.15t	2.85t	2.55t
18.0m	3.25t	2.95t	2.65t	2.35t
19.0m	3.1t	2.8t	2.5t	2.2t
19.3m	3.05t	↓	↓	↓
20.0m		2.65t	2.35t	2.05t
21.0m		2.5t	2.2t	1.9t
22.0m		2.4t	2.1t	1.8t
23.0m		22.2m x 2.4t	2.0t	1.7t
24.0m			1.9t	1.6t
25.0m			1.8t	1.5t
26.0m			25.1m x 1.8t	1.4t
27.0m				1.3t
28.0m				1.2t

クレーン荷重表

E40-3 (4本掛) 定格荷重表

作業半径	最大作業半径			
	15.0m	18.0m	21.0m	24.0m
3.5m	4.8t			
4.0m	↓	4.8t		
4.5m	↓	↓	4.8t	
5.0m	↓	↓	↓	4.8t
6.0m	↓	↓	↓	↓
7.0m	↓	↓	↓	↓
8.0m	↓	↓	↓	4.8t
8.1m	↓	↓	4.8t	↓
8.2m	↓	4.8t	↓	↓
8.4m	4.8t	↓	↓	↓
9.0m	4.4t	4.3t	4.2t	4.1t
10.0m	4.0t	3.9t	3.8t	3.7t
11.0m	3.65t	3.55t	3.45t	3.35t
12.0m	3.35t	3.25t	3.15t	3.05t
13.0m	3.1t	3t	2.9t	2.8t
14.0m	2.85t	2.75t	2.65t	2.55t
15.0m	2.65t	2.55t	2.45t	2.35t
15.3m	2.6t	↓	↓	↓
16.0m		2.35t	2.25t	2.15t
17.0m		2.15t	2.05t	1.95t
18.0m		2t	1.9t	1.8t
18.2m		1.95t	↓	↓
19.0m			1.75t	1.65t
20.0m			1.6t	1.5t
21.0m			1.5t	1.4t
21.1m			1.5t	↓
22.0m				1.3t
23.0m				1.2t
24.0m				1.1t

E40-3 (2本掛) 定格荷重表

作業半径	最大作業半径			
	15.0m	18.0m	21.0m	24.0m
3.5m	3.0t			
4.0m	↓	3.0t		
4.5m	↓	↓	3.0t	
5.0m	↓	↓	↓	3.0t
6.0m	↓	↓	↓	↓
7.0m	↓	↓	↓	↓
8.0m	↓	↓	↓	↓
9.0m	↓	↓	↓	↓
10.0m	↓	↓	↓	↓
11.0m	↓	↓	↓	↓
12.0m	↓	↓	↓	↓
12.2m	↓	↓	↓	3.0t
12.6m	↓	↓	3.0t	↓
13.0m	↓	3.0t	2.9t	2.7t
13.4m	3.0t	↓	↓	↓
14.0m	2.85t	2.75t	2.65t	2.55t
15.0m	2.65t	2.55t	2.45t	2.35t
15.3m	2.60t	↓	↓	↓
16.0m		2.35t	2.25t	2.15t
17.0m		2.15t	2.05t	1.95t
18.0m		2.0t	1.9t	1.8t
18.2m		1.95t	↓	↓
19.0m			1.75t	1.65t
20.0m			1.6t	1.5t
21.0m			1.5t	1.4t
21.1m			1.5t	↓
22.0m				1.3t
23.0m				1.2t
24.0m				1.1t

U-30S 定格荷重表

作業半径	最大作業半径		
	10.0m	15.0m	20.0m
3.7m	2.7t		
5.1m	2.7t	2.7t	
6.5m	2.7t	2.7t	1.6t
7.0m	2.7t	2.7t	1.6t
8.0m	2.7t	2.7t	1.6t
9.0m	2.7t	2.7t	1.6t
10.0m	2.7t	2.7t	1.6t
11.0m		2.3t	1.6t
12.0m		2.3t	1.6t
12.5m		2.3t	1.6t
13.0m		2.0t	1.6t
14.0m		2.0t	1.3t
15.0m		2.0t	1.3t
16.0m			1.3t
16.5m			1.3t
17.0m			1.1t
18.0m			1.1t
19.0m			1.1t
20.0m			1.1t

E24-3 定格荷重表

作業半径	最大作業半径			
	10.0m	13.0m	16.0m	19.0m
2.5m	2.8t			
3.0m	↓	2.8t		
3.5m	↓	↓	2.8t	
4.0m	↓	↓	↓	2.8t
5.0m	↓	↓	↓	↓
6.0m	↓	↓	↓	↓
7.0m	↓	↓	↓	↓
8.0m	↓	↓	↓	↓
8.5m	2.8t	2.8t	2.8t	2.8t
9.0m	2.55t	2.55t	2.55t	2.55t
10.0m	2.25t	2.25t	2.25t	2.25t
10.4m	2.16t	2.16t	2.16t	2.16t
12.0m		1.85t	1.85t	1.85t
13.3m		1.61t	1.61t	1.61t
14.0m			1.5t	1.5t
16.0m			1.2t	1.2t
16.2m			1.16t	1.16t
18.0m				0.9t
19.0m				0.8t

E24-2 定格荷重表

作業半径	最大作業半径			
	8.0m	10.3m	12.5m	16.2m
2.6m	2.8t			
3.1m	↓	2.8t		
3.6m	↓	↓	2.8t	
5.4m	↓	↓	↓	2.0t
↓	↓	↓	↓	↓
7.0m	↓	↓	↓	2.0t
8.0m	2.8t	↓	↓	1.8t
8.3m		↓	2.8t	↓
8.4m		2.8t	↓	↓
9.0m		2.5t	↓	↓
10.0m		2.1t	2.0t	1.5t
10.3m		2.0t	↓	↓
11.0m			1.8t	↓
12.0m			↓	1.3t
12.5m			1.5t	↓
14.0m				1.1t
16.2m				0.9t

E16-2 定格荷重表

作業半径	最大作業半径	
	8.0m	12.0m
2.4m	2.0t	
4.5m	2.0t	1.0t
6.5m	2.0t	1.0t
7.0m	2.0t	1.0t
8.0m	2.0t	1.0t
9.0m		1.0t
10.0m		1.0t
11.0m		1.0t
12.0m		1.0t

U-16S 定格荷重表

作業半径	最大作業半径	
	8.0m	12.0m
2.47m	2.0t	
4.3m	2.0t	1.0t
6.5m	2.0t	1.0t
7.0m	2.0t	1.0t
8.0m	2.0t	1.0t
9.0m		1.0t
10.0m		1.0t
11.0m		1.0t
12.0m		1.0t

E16-3 定格荷重表

作業半径	最大作業半径	
	9.4m	12.0m
2.5m	2.0t	
3.0m	↓	2.0t
↓	↓	↓
8.0m	2.0t	2.0t
9.0m	1.6t	1.6t
9.4m	1.5t	↓
10.0m		1.4t
11.0m		1.2t
12.0m		1.0t

クレーン荷重表

OTA-150HN 定格荷重表

作業半径	最大作業半径			
	20.0m	25.0m	30.0m	35.0m
3.0m	14.0t	14.0t	11.0t	9.0t
↓	↓	↓	↓	↓
14.0m	↓	↓	↓	9.0t
15.0m	↓	14.0t	↓	8.6t
16.0m	14.0t	12.9t	↓	8.1t
16.5m			11.0t	
17.0m	12.9t	11.8t	10.7t	7.8t
18.0m	11.9t	11.0t	10.0t	7.4t
19.0m	10.9t	10.2t	9.4t	7.0t
20.0m	10.0t	9.6t	8.8t	6.7t
21.0m		9.0t	8.3t	6.4t
22.0m		8.4t	7.8t	6.1t
23.0m		7.9t	7.3t	5.8t
24.0m		7.5t	6.9t	5.5t
25.0m		7.0t	6.5t	5.3t
26.0m			6.1t	5.0t
27.0m			5.8t	4.8t
28.0m			5.5t	4.6t
29.0m			5.3t	4.4t
30.0m			5.0t	4.2t
31.0m				4.0t
32.0m				3.9t
33.0m				3.8t
34.0m				3.6t
35.0m				3.5t

OTS-60HN 定格荷重表

作業半径	最大作業半径			
	2本掛 25.0m	20.0m	4本掛 25.0m	20.0m
0.0m	4.5t	4.5t	6.0t	8.0t
↓	↓	↓	↓	↓
8.5m	↓	↓	↓	8.0t
9.0m	↓	↓	↓	7.6t
10.0m	↓	↓	6.0t	6.8t
11.0m	↓	↓	5.3t	6.2t
12.0m	↓	↓	4.8t	5.7t
13.0m	4.5t	↓	4.4t	5.2t
14.0m	4.1t	↓	4.0t	4.7t
15.0m	3.8t	4.5t	3.7t	4.3t
16.0m	3.4t	4.0t	3.4t	4.0t
17.0m	3.2t	3.6t	3.1t	3.7t
18.0m	2.9t	3.3t	2.9t	3.4t
19.0m	2.7t	3.1t	2.7t	3.2t
20.0m	2.5t	3.0t	2.5t	3.0t
21.0m	2.3t		2.4t	
22.0m	2.2t		2.3t	
23.0m	2.1t		2.2t	
24.0m	2.1t		2.1t	
25.0m	2.0t		2.0t	

JCC-50N 定格荷重表

作業半径	最大作業半径
	17.0m
0.0m	2.8t
↓	↓
17.0m	2.8t

OJ-150R 定格荷重表

作業半径	最大作業半径			
	22m	25m	30m	35m
5m		12t	10t	
6m	12t	↓	↓	8.0t
7m	↓	↓	↓	↓
8m	↓	↓	↓	↓
9m	↓	↓	↓	↓
10m	↓	↓	↓	↓
11m	↓	↓	↓	↓
12m	↓	↓	↓	↓
13m	↓	↓	↓	↓
13.5m	↓	12t	10t	↓
14m	↓	11.4t	9.5t	↓
14.5m	12t	10.9t	9.1t	↓
15m	11.5t	10.5t	8.8t	8t
16m	10.6t	9.7t	8.2t	7.5t
17m	9.9t	9.1t	7.7t	7.1t
18m	9.3t	8.5t	7.3t	6.7t
19m	8.7t	8.0t	6.9t	6.3t
20m	8.2t	7.6t	6.6t	6t
21m	7.7t	7.2t	6.3t	5.6t
22m	7.3t	6.8t	6.0t	5.3t
23m		6.5t	5.7t	5t
24m		6.2t	5.4t	4.7t
25m		6t	5.1t	4.5t
26m			4.8t	4.2t
27m			4.6t	4t
28m			4.4t	3.8t
29m			4.2t	3.6t
30m			4t	3.4t
31m				3.2t
32m				3.1t
33m				2.9t
34m				2.8t
35m				2.7t

OJ-110R 定格荷重表

作業半径	最大作業半径	
	20m	25m
5m		12t
6m	12t	↓
7m	↓	↓
8m	↓	↓
9m	↓	↓
10m	↓	↓
10.5m	↓	↓
11m	↓	↓
12m		12t
12.5m	12t	
13m	11.4t	10.6t
14m	10.3t	9.5t
15m	9.4t	8.6t
16m	8.6t	7.8t
17m	8t	7.1t
18m	7.4t	6.6t
19m	6.9t	6.1t
20m	6.5t	5.7t
21m		5.2t
22m		5t
23m		4.7t
24m		4.6t
25m		4.5t

KM-10S 定格荷重表

作業半径	最大作業半径
	10.0m
3.0m	1.0t
↓	↓
10.0m	1.0t

OJ-5N II 定格荷重表

作業半径	最大作業半径
	8.0m
2.5m	10. t
↓	↓
5.0m	1.0 t
5.5m	0.8 t
6.0m	0.7 t
6.5m	0.6 t
7.0m	0.6 t
7.5m	0.5 t
8.0m	0.5 t

OJ-30NR 定格荷重表

作業半径	最大作業半径
	18.0m
4.0m	2.8 t
↓	↓
11.0m	2.8t
12.0m	2.5 t
13.0m	2.3 t
14.0m	2.0 t
15.0m	1.8t
16.0m	1.7t
17.0m	1.6t
18.0m	1.5t

OTS-140NH 定格荷重表

作業半径	最大作業半径			
	23.0m	27.0m	31.0m	35.0m
0.0m	5.0t	5.0t	5.0t	5.0t
1.0m	6.3t	6.7t	6.7t	6.7t
2.0m	7.5t	8.3t	8.3t	7.0t
3.0m	8.8t	10.0t	10.0t	8.0t
4.0m	10.0t	↓	↓	↓
↓	↓	↓	↓	↓
15.0m	↓	↓	10.0t	8.0t
16.0m	↓	10.0t	9.3t	7.6t
17.0m	10.0t	9.3t	8.7t	7.1t
18.0m	9.4t	8.7t	8.1t	6.8t
19.0m	8.7t	8.1t	7.6t	6.4t
20.0m	8.1t	7.6t	7.1t	6.0t
21.0m	7.5t	7.1t	6.7t	5.7t
22.0m	6.9t	6.7t	6.3t	5.4t
23.0m	6.4t	6.2t	5.9t	5.1t
24.0m		5.9t	5.5t	4.8t
25.0m		5.5t	5.2t	4.6t
26.0m		5.3t	4.9t	4.3t
27.0m		5.0t	4.7t	4.1t
28.0m			4.5t	3.9t
29.0m			4.3t	3.7t
30.0m			4.1t	3.6t
31.0m			4.0t	3.4t
32.0m				3.3t
33.0m				3.2t
34.0m				3.1t
35.0m				3.0t

OJ-13N 定格荷重表

作業半径	最大作業半径
	12.0m
4.0m	1.1t
↓	↓
12.0m	1.1t